Math 231 Calculus 1 Fall 18 Sample Midterm 3

(1) Consider the function f(x) defined by the following graph.



- (a) Label all regions where f'(x) < 0.
- (b) Label all regions where f'(x) > 0.
- (c) What is $\lim_{x\to\infty} f'(x)$?
- (d) What is $\lim_{x\to\infty} f''(x)$?
- (e) Sketch a graph of f'(x) on the figure. (f) Sketch a graph of $\int_{-5}^{x} f(t)dt$ on the figure.
- (g) Label the approximate locations of all points of inflection.

(2) Sketch a graph of a differentiable function f that satisfies the following conditions and has x = -1 as its only critical point.

$$f(-1) = -2 f'(-1) = 0 f'(x) > 0 \text{ for } x < -1 f'(x) < 0 \text{ for } x > -1 \lim_{x \to \infty} f'(x) = \lim_{x \to -\infty} f'(x) = 0$$

(3) Consider the function

$$f(x) = \frac{e^{-x}}{3 - x^2}$$

- (a) Find all vertical and horizontal asymptotes of the function.
- (b) Find all critical points of the function.
- (c) Determine the intervals where f(x) is increasing and decreasing.
- (d) Use the 2nd derivative test to attempt to identify all local maxima and minima.
- (e) Sketch the function and label all relative maxima and minima.
- (4) Consider the following function:

$$g(x) = (x^2 - 2x)e^x$$

- (a) Find, if they exist, the coordinates of all relative maxima and minima.
- (b) Determine the interval(s) where g is increasing and those where g is decreasing.
- (c) Find, if they exist, the coordinates of all points of inflection.
- (d) Determine the intervals where g is concave up and those where g is concave down.
- (e) Sketch the curve as accurately as possible.
- (5) A function f(x) has derivative

$$f'(x) = \frac{1}{e^{-2x} + 1}$$

Where on the interval [1,3] does it take its maximum value?

2

(6) A circular piece of paper of radius R has a sector removed of angle θ , and the remainder is folded into a cone shaped cup. Which angle θ maximizes the volume?



(7) Compute the following limits. Show all work.
 (a)
 (a)

(b)

$$\lim_{x \to -\infty} \frac{2+3x}{\sqrt{3x^2-4}}$$
(c)

$$\lim_{x \to 0^+} \tan^{-1}(x) \ln(x)$$
(d)

$$\lim_{x \to 0} \left(\frac{1}{x} - \frac{1}{\cot(x)}\right)$$
(d)

$$\lim_{x \to 0} \frac{3\sin x - \sin 3x}{\tan^3 2x}$$

- (8) Approximate the area under the graph of $y = e^{2x}$ between -2 and 2 using four rectangles. Use the left hand endpoints to find the heights of the rectangles. Can you say whether this is an under- or over-estimate?
- (9) Evaluate the following (a)

(b)
$$\int \frac{1 - 2x + 3x^2}{\sqrt{x}} dx$$
$$\int_{-1}^{1} |x| dx$$

(c)

$$\int_{1}^{8} \frac{2}{\sqrt[3]{x}} dx$$
(d)

$$\int_{0}^{x} \frac{1}{t+2} dt$$
(e)

$$\int \frac{1}{1+4x^{2}} dx$$

(10) A particle starting at the origin at time t = 0 moves along the x-axis with velocity $v(t) = (t+1)^{-4}$. Will the particle ever reach x = 1?