


Math 214 Statistics Spring 19 Sample Midterm 1

1. A public health researcher does a study. She interviews 250 people and records the following information about each one: name, gender, resting heart rate (number of beats per minute), age, and hours of exercise per week.
 - (a) How many observations are there?
 - (b) How many cases are there?
 - (c) How many variables are there?
 - (d) List all categorical variables:
 - (e) List all quantitative variables:
2. The following are summary statistics for the income variable, giving the annual income of individuals in a dataset of full-time employed adults living in Nashville.


min	Q1	median	Q3	max	mean	sd
\$18,279	\$33,001	\$45,114	\$81,238	\$923,321	\$61,923	\$59,012

 - (a) Compute the interquartile range (IQR) for this variable.
 - (b) Is this distribution left-skewed, symmetric, or right-skewed? Explain briefly (one sentence is enough) how you know.
3. Suppose that the wrist circumference of men is normally distributed with mean 11 inches and standard deviation 2 inches.
 - (a) What portion of men have a wrist girth of 14 inches or larger?
 - (b) One mans wrist girth is 9 inches. What percentile does this correspond to? (i.e., what portion of men have smaller wrist girth than he does?)
 - (c) What portion of men have wrist girth between 9 and 12 inches?
 - (d) How small must a mans wrist girth be so that 80% of men have larger wrists?


4. Here are Q-Q plots for four variables.




(a) Variable A (300 observations)



(b) Variable B (80 observations)



(c) Variable C (120 observations)



(d) Variable D (175 observations)

List which of these variables are approximately normally distributed.


5. A researcher is studying concussions in high school football. She'd like to know the average number of concussions that occur per year for high school football teams across the United States. Suppose that the standard deviation is 1.65 concussions. (Note: in real life, we'd never know this number exactly.)

The researcher chooses 80 schools at random from the high schools with football teams in the United States and surveys them. What's the probability that the mean number of concussions for the 80 schools in the survey differs from the true mean by more than .5? You may assume that the sampling distribution for the sample mean is approximately normal.

6. A researcher is curious if running increases the chance of knee injury. He

chooses a random sample out of the patients of knee surgeon, and he polls these patients on whether they ran regularly at any point in the last five years. Then he chooses another random sample from the general population and polls them on the same question. He finds that the knee patients were more likely than the general population to have run regularly in the last five years.

- (a) Is this an experiment or an observational study?
 - (b) Does this provide evidence that running increases the chance of knee injury?
7. (a) In the U.S. population, 10% of people are left-handed and 90% are right-handed. 50% of the population are men and 50% are women. Assume that handedness is independent of gender. Suppose that a person is picked at random from the U.S. population. What is the probability the person is a left-handed woman?
- (b) A coin is flipped five times. What is the probability that at least one flip is heads?
8. The box plot below shows the finishing times in hours of two groups of runners in the 2017 Boston marathon. Say whether following statements are true, false, or impossible to determine based on the plot.




The median runner is faster in group 2 than in group 1.	True	False	Can't say
The fastest runner is faster in group 2 than in group 1.	True	False	Can't say
The interquartile range is larger in group 2 than in group 1.	True	False	Can't say
All runners in the middle 50% of group 1 finished in four hours or less.	True	False	Can't say
All runners in the middle 50% of group 2 finished in four hours or less.	True	False	Can't say
There were more runners in group 1 than group 2.	True	False	Can't say
The slowest runner was in group 2.	True	False	Can't say
The fastest 25% of runners in group 1 finished in 3.5 hours or less.	True	False	Can't say
The fastest 25% of runners in group 2 finished in 3.5 hours or less.	True	False	Can't say

9. Researchers study a small population the Galapagos Islands consisting of 80 tortoises. Their shell circumference has mean μ (unknown) and a standard deviation of 15 centimeters. Researchers select 40 of them at random, measure their shell circumferences, and compute the mean circumference \bar{x} for these 40

tortoises.


- (a) Circle one answer: μ is...
- i. the population mean of shell circumference.
 - ii. the sample mean of shell circumference.
 - iii. a z -score.
 - iv. a measure of spread.
- (b) Circle one answer: \bar{x} is...
- i. the population mean of shell circumference.
 - ii. the sample mean of shell circumference.
 - iii. a z -score.
 - iv. a measure of spread.
- (c) How probable is it that \bar{x} is more than 2cm larger than μ ? You may assume that the sampling distribution of \bar{x} is normal.

Standard normal distribution table



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.5	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002

Standard normal distribution table



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.00	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.10	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.20	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.30	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.40	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.50	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.60	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.70	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.80	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.90	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.00	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.10	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.20	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.30	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.40	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.50	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.60	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.70	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.80	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.90	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.00	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.10	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.20	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.30	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.40	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.50	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.60	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.70	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.80	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.90	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.00	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.10	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.20	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.30	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.40	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.50	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998